HALF YEARLY COMPLIANCE REPORT FOR GRANITE STONE QUARRY

File No. 765/SEIAA/EC4/505/2015, EC No.09/2017 dated 16/01/2017

M/s Kachanathu Minerals & Metals Pvt ltd

Situated At

Survey No: 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13

Ezhumattoor Village, Mallappally Taluk, Pathanamthitta District

April 2023 – September 2023

Prepared By PRIME TECHNOLOGY SERVICES

4D Kalpaka Fort Palace, Changampuzha Park,

Edappaly, Cochin-24

Mail: info@primets.in Website:www.primets.in

Ph: 8089085335, 8089761335

To,

The Director MoEF&CC,

Regional Office (South Zone), KendriyaSadan,

IVthfloor, E&F Wing, 17th main Road,

Second Block, Koramangala Banglore.

Respected Sir,

Sub: Half Yearly Compliance Report of Granite Stone Mine Project- April 2023-September 2023

Ref: File No. 765/SEIAA/EC4/505/2015,EC, No.09/2017 dated 16/01/2017

With reference to the above we are submitting Half Yearly Compliance report (April 2023-September 2023) for the EC order, mentioned above. Also enclosed here, copy of all Licenses from Statutory Bodies and Compliance Monitoring Report.

Place:Pathanamthitta K.V Mathew

Date: 30-09-2023 (Authorised Signatory)

Copy To,

Member secretary / Chairman

SEIAA Kerala

KSRTC Complex, Thampanoor

Thiruvananthapuram, Kerala

INDEX

Sl.No	Particulars
1	Introduction
2	Specific Conditions
3	General Conditions
4	Annexures

LIST OF ANNEXURES

Annexure No	Specifications
1	Environmental Clearance
2	Quarry Lease
3	Explosive License
4	Panchayat License
5	Mines Manager Certificate
6	Consent from KSPCB
7	EMC Details
8	Environmental Monitoring Results

I. INTRODUCTION

Granite Building Stone Quarry Project of M/s Kachanathu Minerals & Metals Pvt Ltd is situated at Survey No: 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13, Ezhumattoor Village, Mallappally Taluk, Pathanamthitta District, Kerala in respect of Mr. K.V Mathew.

Granite Building Stone Quarry of M/s. Kachanathu Minerals & Metals Pvt Ltd was obtained with the Environmental Clearance (File No. 765/SEIAA/EC4/505/2015, EC No.09/2017 dated 16/01/2017) by State Environmental Impact Assessment Authority on 16/01/2017. As part of general condition No.37 of Environmental Clearance order and EIA Notification the half yearly compliance report needs to be submitted by the project proponent.

This report contains the compliance of conditions of Environmental Clearance for the period of April 2023 to September 2023.

COMPLIANCE TO THE CONDITION STIPULATED IN THE ENVIRONMENTAL CLEARENCE ISSUED BY STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA.

2.SPECIFIC CONDITIONS

Table 1.Specific Conditions

Sl. No.	Specific Conditions	Compliance Status
1	Fencing should be provided all around the lease area	The direction contained shall be scrupulously followed. To demarcate the lease area and to prevent falling of animals/ human being / dumping of garbage etc, the project proponent has installed barbed metal wire fencing around the lease area.
2	RWH structure should be provided at the site .An old pit located on the lowest level can be used for this purpose. Clarified water from the upper slope should be channelized into it	project area to collect rain water and utilize
3	Overburden must be stored in a designated place at a lower elevation after the restoration of existing pits	-

3.GENERAL CONDITIONS

Table 2. General Conditions

	Tuble 2. Gen	eral Conditions
Sl. No	General Conditions	Compliance Status
1	installed as per the prevailing provisions of	Provided rain water harvesting pond in the project area to collect rain water and utilize in the project area itself
2	the affidavit filed by the proponent should be	To monitor all conditions stipulated in the Environment Clearance and environment Management Plan, the project proponent has constituted an Environment Monitoring Cell. The environmental management cell regularly report to the head of the organization.
3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.	Already site have a green belt, planted 105 no's of trees at the boundary (Safe Buffer zone) This shall be maintained well. Trees like Mango, Anjili, Bamboo, Passion Fruits were planted
4	Trianillani possible bolai Energy	As part of energy conservation, the project proponent has installed solar street light in the project site to generate and utilize maximum renewable energy. About 4 Solar Street Lights were provided in the quarry site
5	projectsite to contain dust emissions.	Sprinklers are available at the site and areusing at the time of generating dust from the site and make wet the internal roads daily. About 11no's of sprinklers were provided in the quarry site and water tanker vehicles along with sprinklers for the purpose of dust suppressions at internal roads
6	Eco-restoration including the mine closure plan shall be done at the own cost of the	It is assured that Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
7		At the time of closure of the mine, it shallensure that directions contained are scrupulously followed
8	uponby the proponent should be implemented	As part of inclusive growth of the community, the project proponent will carry out various activities under CSR and will follow the plan as committed.
9	before starting of mining. All the boundary	The direction contained shall be scrupulously followed. To demarcate the lease area and to prevent falling of animals/ human being / dumping of garbage etc, the project proponent has installed barbed metal wire fencing around the lease area.
10	(to be done at specific timings) has to be	As per the stipulation of Explosive department, the project proponent has installed siren as warning alarm in the quarry site. Siren rang before the blastingtime in

	I D	
	Department.	order to give warning to the workers and public. The blasting timings are displayed in the prominent area by way of caution board.
11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Limited the operation of quarry in specific time only as directed by the KSPCB and has been following the directions and complying them. The following control measures are undertaken to bring down the noise levels:-
		 Proper maintenance of machinery equipment's and improvement of design of machines. Personal Protective Devices i.e, earmuffs helmet, and boots etc. are provided to workers. The mining activity is only during day time Noise level at the quarry site should be checked periodically, monitored through a NABL accredited laboratory during the quarry in operation and the monitored results are attached
12	timeas per KSPCB guidelines.	Limited the operation of quarry in specific time only as directed by the KSPCB and has been following the directions and complying them
13	Blasting should be done in a controlled manner as specified by the regulations of Explosives	Blasting done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency. Obtained Explosive license and following the guideline stipulated.
14	A licensed person should supervise/control theblasting operations	The project proponent has appointed Second Class Mines Manager L. Manoharan, in the site to supervise/control exploitation of minor minerals including blasting at the project site.
15	1 2	To reduce dust emissions and for the trouble free transportation of materials, the project proponent has properly surfaced the access road to the quarry site. The project proponent is regularly maintaining the access road in good manner.
16	l	Overburden stacked in pre-determined site specified for the purpose.
17	Height of benches should not exceed 5m and width should not be less than 5m.	The quarrying activity in the project site is progressing by creating benches of 5m width and 5m height. The formation of benches is under the direction and supervision of competent person.
18	Mats to reduce fly rock blast to a maximum of	The project proponent is using blasting mat to reduce fly rocks during blasting.
19	Maximum depth of mining from general ground level at site shall not exceed 10m.	The maximum depth of mining is above general ground level.
20		It is ensured that no mining is carried out at places having a slope greater than 45°, if any.


21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Scrupulously follows the directions contained.
22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The project proponent has provided adequate Personnel Protective Equipments (PPE) such as helmets, ear muffs, safety belts, glows, etc. to ensure the safety of workers in working site
23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize Storm Water.	The proponent is very conscious to prevent all quarry waste to enter in the public drainage or stream. The project proponent has constructed Garland drains with silt traps were suitably constructed all along the periphery of the pit area. Garland Drains collect the run-off from the lease area and divert into the desiltation tanks proposed within the complex. The surface runoff from the benches will runs into desiltation tank through the garland channel and then passes through the check dam into the natural drainage. All measures were taken not to disturb the existing drainage pattern adjacent to the other property. Desiltation tank installed for silt removal. Cleaning of Desiltation tank were done periodically. Clear water is letting out.
24	incovered trucks to contain dust emissions.	To avoid dust emission from the vehicle while transportation of materials the project proponent assure that the trucks are covered before leaving the site.
25	The proponent should plant trees at least 5	
	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Shall be disposed through the authorizedrecyclers
27		Magazine keep at an isolated area located at more than 50 m from the mining area
28		Maintain the said distance from the mining boundary to the nearest structure.
29	100 m buffer distance should be maintained from forest boundaries.	Forest area is not there in this locality
30	obtained before initiating activity.	Obtained consent from KSPCB Attached as Annexure 06
31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Consent from Kerala Pollution Control Board

		 NOC from Explosive Dept. D&O License from the LSGD
32	project, the project would require a fresh appraisalby this Authority.	The company shall abide by the directions of SEIAA Kerala. At present the project is running as per plan submitted in Environmental Impact Assessment Authority, Govt. of India and approved mining plan. There is no change in the scope of the project. The project will seek for a new Environmental clearance in the case of any changes in the scope of the project.
33	The Authority reserves the right to add additional safeguard measures Subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	The company shall abide by thedirections of SEIAA Kerala
34	The stipulations by statuary authority under different acts and notifications should be complied with including the provisions of water(Prevention and Control of Pollution) act, 1974, the Air(Prevention and Control of Pollution) Act, 1991 and Notification 2006	Scrupulously follows the directions contained.
35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may be seen on the website of the Authority at www.environmentalclearance.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	The project was advertised in two widely circulated local newspapers in that region. Mangalam(02-11-2019) Deccan Chronicle(05-11-2019)
36	A copy of the clearance letter shall be sent by the proponent to concerned GramaPanchayat/ DistrictPanchayat/ Municipality/ Corporation/ Urban Local Rody and also to the Local NGO.	Copy of EC has been forwarded to the secretary of Ezhumattoor Grama Panchayat and also EC displayed in the notice board of the mining site
37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC Conditions including results of monitored	Environmental Impact assessment Authority, Kerala and the Regional Office of MoEF&CC, Bangalore

	stipulated EC conditions, including results of monitored data on their website. It shall sent to the Regional office of MoEF. Govt. of India and also to the State Environment Impact Assessment Authority(SEIAA) Office	
38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3ft X3ft with green background and yellow letters of Times New Roman font of size of not less than 40.Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	A display board shows all the details about the project and EC provided at theentrance of the quarry site
39	affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	
40	approval of the SEIAA, No further expansion or modification in the mine shall be carried out without prior approval of the SEIAA, as applicable.	The conditions of SEIAA are strictly followed
41	natural water course or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the	The proponent is very conscious to prevent all quarry waste to enter in the public drainage or stream. The project proponent has constructed Garland drains with silt traps were suitably constructed all along the periphery of the pit area. Garland Drains collect the run-off from the lease area and divert into the desiltation tanks proposed within the complex. The surface runoff from the benches will runs into desiltation tank through the garland channel and then passes through the check dam into the natural drainage. All measures were taken not to disturb the existing drainage pattern adjacent to the other property. Desiltation tank installed for silt removal. Cleaning of Desiltation tank were done periodically. Clear water is letting out.
42	carried out based on the Notification 2009, as	The project proponent has monitored the ambient air quality as per National Ambient Air Quality Standard (NAAQS). Monitored Lab Results are attached.
43	stored at earmarked sites, only. For the topsoil shall be used for land reclamation and plantation. The over burden generated during the mining operations shall be stacked at earmarked dump site only. The maximum	The temporarily stored topsoil used only for land reclamation and plantation. It is ensured that the dump site where over burdens are stored should maintained at 45° of slope. To prevent the soil erosion, the top soil and overburden are stacked in designated place within the project site. Only topsoil will be used for plantation. Overburden will be used for landfill and to
	_	

44	size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilizing for watering the mine area. Roads, green belt development t etc. the drains shall be regularly desalted	
		existing drainage pattern adjacent to the other property. Desiltation tank installed for silt removal. Cleaning of Desiltation tank were done periodically. Clear water is letting out.
45	water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5such as haul road, Loading and unloading points and transfer points-it shall be ensured that the ambient air quality parameters conform to the norms prescribed by the central pollution control board in this regard.	Effective safeguard measures are adopted in critical areas that are prone to air pollution. The project proponent has placed water sprinklers in critical area to reduce the dust emission. Ambient Air Quality according to the norms of CPCB is followed in loading – unloading points and transfer points.
46	Fugitive dust emissions from all the sources should controlled regularly. Water spraying arrangement on haul roads, loading and unloading an d at transfer points should be provided and properly maintained	There is a regular control on dust emission sources. Water sprayingarrangements are properly maintained
47	Measures should be taken for control of noise levelsbelow 85 dBA in work environment.	The project proponent has taken appropriate steps to reduce the sound by employing possible measures. Measurements of noise levels are taken in the work environment. Noise Monitoring Lab results provided
48	will report directly to the head of the organization	To monitor all conditions stipulated in the Environment Clearance and environment Management Plan, the project proponent has constituted an Environment Monitoring Cell. The environmental management cell regularly report to the head of the organization.
49	protection measures and CSR activate should	As part of inclusive growth of the community, the project proponent will carry out various activities under CSR and will follow the plan as committed.
50	The Regional Office of MOEF& CC Located at Bangalore shall extend full cooperation to the officer (S) of the Regional Office by furnishing therequisite data /information /monitoring reports	The project proponent will extent all possible cooperation to the officers form regional office of MoEF&CC and can produce all data/information/reports when they are asking for.

51	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act,2010	There is no appeal against EC
52		Such a situation never come across. The Condition is noted for compliance
53	for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA	The project proponent is willing to implement the conditions stipulated in the Environment Clearance order. The project can execute all possible measures in the project site for the conservation of environment. The conditions of SEIAA are strictly followed.
54	The above conditions shall prevail not	The project proponent will give priority to the conditions stipulated in the Environment clearance Order for execution.
55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala whichever is earlier.	It is noted that this Environmental clearance order is valid for a period of 5 years or the expiry date of mine lease period issued by the Govt. of Kerala, whichever is earlier.
56	The Environmental Clearance will be subject to the final order of the courts of the in any pending litigation related to the land or project, in any court of law.	1 0
57		
58	the mines shall have PUC certificate from authorized pollution talking Centre. Washing	Vehicles used within mines have PUC certificate. As part of reduce air pollution, the project proponent is monitoring the pollution level of all vehicles playing in the project site. This monitoring conducts only in authorized pollution testing center.
59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and groundwater for the project.	Scrupulously follows the directions contained
60		The report of water quality is given to the SEIAA in every six months
61	1 1 11 1 1	A healthy surveillance program of theworkers is controlled periodically





Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman, Dr. J. Subhashini, Member & Sri. V.S. Senthil I.A.S Member Secretary.

Sub: Environmental Clearance for the Building stone quarry project in Sy.Nos. 135.2.3. 135/2-1,135/6, 135.2.2, 135/2, 135/2-1, 167/2 to the local land of Block 27 at Ezhumattoor Village, Mallappally Taluk, Pathanamthitta District, Kerala by Sri. K. V. Mathew. M/s Kachanathu Minerals and Metals Pvt. Ltd - EC Granted-Orders issued

State Environment Impact Assessment Authority, Kerala

No. 765/SEIAA/EC4/505/2015

dated, Thiruvananthapuram 16.01.2017

Ref: 1 Application

- Application dated 18.02.2015 from Sri. K.V. Mathew, M/s Kachanathu Minerals and Metals Pvt. Ltd
- 2. Minutes of the 45th meeting of SEAC held on 11/12-09-2015
- 3. Minutes of the 52nd meeting of SEAC held on 08/09-02-2016.
- 4. Minutes of the 59th meeting of SEAC held on 11/12-07-2016.
- 5. Minutes of the 61st meeting of SPINA peld on 30-11-2016

ENVIRONMENTAL CLEARANCE NO. 09 / 2017

Sri. K.V. Mathew, M/s Kachanatha Minerals and Metals Pvt. Ltd., Kachanatha Ebenezar Trade Center, V/114, Angadi P.O., Ranny, Pathanamthitta vide his application received on 18-02-2015 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. Nos. 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13 of Block 27 at Ezhumattoor Village, Mallappally Taluk, Pathanamthitta District, Kerala for an area of 4.9808 hectares. The project comes under Category B. Activity I(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per the O.M. No. J-13012/12/2013-IA-II (I) dt. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

current proposal is for the expansion quarry with pit area of 2.1174 hectares and miner. specific. Hence no alternate site was examined. The proposed project is for quarrying of 2.1174 hectares and miner. It is not involved in the project. The project does not require approval/clearance under declared biosphere reserve, wild life protection act or CRZ notification, since there is no relating to the proposed site. The quarry is not interlinked with a crusher unit located within applicant of the lease area in any court of law. The proposed site falls in the Moderate operation of mine. Other details of the project are as follows:

File	RASIC RASIC RASIC RESIDENCE TO THE PROJECT OF THE P
File No.	BASIC DETAIL
Name of project	BASIC DETAILS OF THE PROJECT 765/SELAA/KL/505/2015 Environmental Clearance 5
Brief description of the project	Environmental Cleatance for the Expansion of Building Sto Quarry Project by M/s. Kachanathu Minerals and Metals Private Limited Building stone quarry in an area of 4.98.08 Hectares District, Kerala State with may
Category/Subcategory & Schedule	
Location Sy no/ district, Taluk/ village etc.	Category B'/ Subcategory B2 & Schedule 1(a) 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/3, 167/2-3 of Block 27, Ezhumattoor State Latitlide (Nyssik Joseph Company)
GPS co-ordinates Extent of area lin	Lati (lide (N) 109 25'41.43"N Longrade (E) 16942'35.89"E
(nectares)	4.98.08 Ha
Minimum and maximum height of excavation (MSL) Life of mine proposed Ultimate depth of mining (in MSL)	
Life of mine proposed	10 Years
Ultimate depth of mining (in MSL)	50 m MSI.
adjacent quarry	0.3 km
Capacity of production	26828 m3/annum (Max. rate of production)
	Page 2 of 9

Detaits o		486.70 lakhs	
Financial statement O including funding for fixed source and details of insurance		Own Land - 3.93.08 hectare, Lease Land - 1.05.00 hectare & funding will be taken care by M/s. Kachanathu Minerals and Metals Private Limited	
CRZ recommend	of the boat of the department of the second	Not Applicable	
Does it attract v		- Man capie	
proceedings		M)	
EnviMgmt plan / Eco restoration plan (brief details)	Noise Solid W Manage	Water sprinkling will be done by water tanker fitted with water pump to reduce generation of dust during loading. Dust masks will be provided to operators and other persons near loading. Green belt will be developed around the mine lease boundary in order to reduce spread of air pollution and plantation will be done around mine office, haul road, etc to control dust pollution. No waste water generation is envisaged during the mining process. The domestic effluent generated from the mine office, will be disposed off in soak pits via septic tanks. Water will be stored in the pit required for irrigation of plants, spraying water on roads and other miscellaneous purposes by diverting direction of the garland drain towards pit when required Creen belt will be developed around the mine lease boundary in order to reduce noise pollution in the surroundings. Controlled Blasting will be carried out to minimize noise leneration. Flasting will be done in day time. Drilling will be done with sharp drill bits, which reduces generation of noise during drilling.	

ABOUT THE PROJECT		
Environmental parameters	Description	
considered	Description	
WATER		
	Total water requirement - 6 KLD.	
Water requirement &	(Domestic and Doing)	
	(Domestic and Drinking Purpose – 2 KLD	
sources	Dust Suppliession and Green Dale A trans	
RWH units proposed	Lopon Will at the site will be the course	
Facilities for liquid waste	watering pil will be hilliged ac roin	
treatment	The state of the s	
Impoundment, damning,	TOTAL	
	No impoundment, damming, culverting, realignment or other changes to the hydrology of suffer	
culverting, realignment or	changes to the hydrology of surface water courses	
other changes to the		
hydrology of		
watercourses or aquifers?		
Water quality meeting	Water quality in the study area is meeting the requirements	
requirements	Presented by the PCB.	
Does it have provisions for	No %	
use of recycled water		
Denvious C	LAND	
Proximity to forest lands	None within the study area	
Width & Condition	Width of the access road to site is 8m	
	Explosives will be stored as per the Indian Explosive Act 1958	
/hazardous substances Facility for solid waste	this amount is 1983.	
mgmt solid waste	It is proposed to stack anitially along the lease boundary and will be backfilled finally within the mine lease area	
Topographie features/	Topography of the area is hilly terrain.	
slope	p-g-spin of the about the last y contains.	
Proneness of the area for	Site area fall under Seismic Zone III. It is not a landslide prone	
landslides	area.	
Significant land	Due to excavation, significant land disturbance will occur.	
disturbance resulting in erosion, subsidence &		
erosion, subsidence & instability		
mstatinty	Over burden 7000 m3 will be generated during the mining	
Top soil, overburden etc.	period. It will be stacked separately & backfilled at the end of	
	life of mine.	
	AIR	
Air quality meeting	Water sprinkling and other mitigation measures will be	
requirements Noise level meeting	provided during mining activity to control the air emissions	
requirements	Adequate mitigation measures will be provided to control the noise emissions during blasting & mining activity.	
Likely emissions affecting	There will not be any other major emissions	
environment	and the state of t	
ENERGY		
Property parentement	Total power requirement of 75 KW for operations of	
Energy requirement	equipment will be drawn from Diesel Generator	
The state of the s	The state of the s	

The state of the s	Diesel Generator	
Extent of usage of		VA CREATING TO A SECOND TO A S
dternative energy	No	
esources		
	BIODIVERSITY	
Presence of any endangered species or red	There are no endangered or rare species in the ar	Main displacements enabled regions was accommon
isted category	to the ar	Ca
The state of the s		
Loss of native species and	There will not be any loss of native species of ge	netic diversity
genetic diversity	cases did continuation of the carrie	will not
Likely displacement of	affect of joss of native species in general	
Likely displacement of	proposed mining activity does not have any	lisplacements
	Origina	
Any introduction of alien /	The proposed mining activity does not introduce a	inv alien
invasive species	species.	Sha
SOCIAL ASPECTS		
Proximity to nearest habitation	Ezhumattoor – 1 km, S	
A COLOR OF LAT	The state of the s	
	Proposed common CSR Budget Sl.no Particulars	
	Si.no Particulars	Amount
		Rs. In
	Renovation of old buildings of	2.5
CSR related to the project/	Ezhumattoor Govt. Hr. Sec. school	
allocation/ time frame	2. Provision of books and Sanitary facilities (Toilets, Drinking water	3.5
(details mandatory)	facilities (Toilets, Drinking water facilities etc.) to Ezhumattoor Govt. Hr.	The state of the s
	Sec school	A COLLAR
	2 Repairing of damaged Ezhumattoor-	2.5
	Vaipoor Road (Panchayat road) Organizing Health camps	
	3 Organizing Health camps Total	1.5
GENERAL		10.0
Does it propose	Chapter 4 of Pro Feasibility Report.	
environment management	NAME OF THE OWNERS OF THE OWNE	Control of the Contro
plan	30 Trees / applyrocavill low of buildings	
	30 Trees / annum will be planted at 5m interval in a 0.76.30 Ha. The lease boundary and avenues as well	area of
Does it have eco	non active dumps are also used for greenbelt develop	as over
restoration programmes	main aim of the greenbelt development is to restore	the
	ecosystem to its original form to a maximum possible	e extent
Biomedical waste	Not Applicable	Manager (1) make tigger than repair to the later of the later of the later of
management		
E-waste management	Not Applicable	
The second secon		The transfer of the contract o
Sufficiency of norting	The existing transport facilities will be utilized for the	e proposed
Sufficiency of parking spaces/ traffic management	The existing transport facilities will be utilized for the project. The proposed project does not involve any c	

(provide details)	angumentus esses apreses y.
Right & nature of ownership of land	Own land of 3.93.08 hectare & Lease land of 1.05.00 Hectare
Is the property forest land/govt. land/own land	Own Patta land
Details of Authorised Signatory	Mr. K.V. Mathew M/s. Kachanathu Minerals and Metals Pvt. Ltd. Kachanathu Ebenezer Trade Center, V/114, Angadi P.O., Ranny, Kerala – 689 674.

2. This application was placed before 45th meeting of SEAC held on 11/09/2015 and 12/09/2015. The Committee decided to defer the item for field visit by subcommittee concerned and to direct the proponent to submit more realistic projects under social responsibility. According to that proponent submitted the CSR.

Field visit to the Quarry project site of M/S Kachanathu Minerals and Metals Pvt Ltd, was carried out on 24.10.2015 by the sub-committee of SEAC, Kerala, comprising Dr.Keshav Mohan and Sri. John Mathai. The representatives of the proponent were present at the site at the time of site visit. This is the second visit to the site necessitated by the absence of the representatives of the proponent at the time of earlier visit. The field inspection details are given below.

"The project is located at about 0,5 km NE of Ezhumatioor. The quarry of Sri Ravindran is located to the west within 500 m but the total area is less than 25 ha (B2 category). This quarry lease area of 4.98 ha falling in own land occupy the south facing slopes of an elevated ridge, part of which has been exploited. The elevation of the lease area ranges from I tom in the nock exposed hillock to 130 m in the lower southern part. The rock type is weakle pliated charnockite with prominent sub vertical joints. A thin Tyke is also noted in the site. Pockets of weathered rock with about Im thick ver (burden (08) and top soil is seen interspersed with rock out crops in the upper part where initial benches have been formed. In the central lower part old workings with steep cuttings are seen. The OB is now used for reclamation of old pits. The entire storm water from the area flows as sheet flow to the south and collected in the pits from where it is let out into the trenches formed in the rubber plantation area of the proponent for clarification and disposal. RWH structures are also not seen excepting for old quarry pit. Manimalariver is seen at a distance of 2.5 km to the north but the stream flow from the site is to west. Rubber is the dominant land use. Dwelling units are not seen in the vicinity of 200 m. There is an associated crusher unit with the quarry. Canteen and limited accommodation is made available to the workers. The approved mine plan shown to the subcommittee did not have any date and reference to the 2015

Based on an overall evaluation of the site, the quarry operations may be recommended with following conditions:

- 1. The mine plan must have a date of approval with reference to the 2015 mineral concession rules.
- 2. The proponent must submit the Cadastral map of the lease area with subdivisions clearly indicating the area proposed to be quarried
- 3. Fencing should be provided all around the lease area.
- 4. RWH structure should be provided in the site. An old pit located on the lowest level can be used for this purpose. Clarified water from the upper slope should be channelised into it.
- 5. Ultimate depth of mine to be limited to the permissible level of deepening by benches.
- 6. OB burden must be stored in a designated place at a lower elevation after the restoration of existing pits.
- 7. The CSR need redrafting with inclusion of felt needs of the locality.

Other items from general conditions like a) Appropriate sign boards should be displayed, b) The blasting time must be displayed and strictly adhered to, c) The PPV values must be less than 10 mm/sec, d) Steps to be taken to limit fly rock to within the lease area. Rock fragments should not fall anywhere outside the lease area, e)Dust suppression mechanism must be in place f)A belt of trees (Vegetation belt) should be maintained all around the quarry but must be maintained till the entire life of quarry, g) A separate small plot to be maintained in the premise to preserve rare and endemic species, if any, listed in the biodiversity assessment etc.

- 3. The proposal was considered in the 52nd Meeting of SEAC, held on 8th & 9th February, 2016. The Committee deferred the item for submission of Mining Plan as per KMMC Rule 2015.
- 4. On submission of the mining plan the proposal was again considered in 59th meeting of SEAC held on 11th & 12th July 2016. The Committee appraised the proposal based on Form 1, Pre-feasibility Report and Mining Plan and recommend to issuance of EC subject to the general conditions and the following specific conditions.
 - 1. Fencing should be provided all around the lease area.
 - 2. RWH structure should be firevided at the site. An old pit located on the lowest level can be used for this purpose. Clarified water from the upper slope should be channelized into it.
 - Over burden must be stored in a designated place at a lower elevation after the restoration of existing pits.

The proponent agreed to set apart Rs 5 lakhs (non-recurring) and 5 lakhs per annum (recurring) for next 5 years for CSR activities for the welfare of the local community in addition to the 1% of the profit towards the KSBB. The proponent also agreed to spend this amount in consultation with the local Panchayath.

- The Authority in its 61st Meeting held on 30/11/2016 decided to accept the recommendation of SEAC to issue Environmental Clearance on condition that valid permit should be produced to SEIAA and also that the above specific conditions are fulfilled before continuing with mining. An Affidavit to this effect should be submitted by the project proponent.
- The proponent has submitted the valid permit certificate and Affidavit for specific conditions mentioned in para 4. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed Building Stone Quarry project of Sri. K.V. Mathew M/s Kachanathu Minerals and Metals Pvt. Ltd in Survey No. 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13 of Block 27, Ezhumattoor Village, Mallappally Taluk, Pathanamthitia District, Kerala for an area of 4.9808 Hectares, subject to the specific conditions as recommended by SEAC in para 4 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a pain of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining, appended hereto will be applicable and have to be strictly adhered to.
- The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 4 (Mining), Chapter 5 (Blasting), Chapter 6 (Mine Drainage), Chapter 9 (EMP) Chapter 10 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
 - 8. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SELAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of validition of hon-compliance of conditions or genuine complaints from residents within the security area of the quarry.
 - 9. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - Instances of violation if any shall be reported to the District collector, Pathanamthitta to take legal action under the Environment (Protection) Act 1986.

The given address for correspondence with the authorised signatory of the project is Mr. K.V. Mathew, M/s. Kachanathu Minerals and Metals Pvt. Ltd. Kachanathu Ebenezer Trade Center, V/114, Angadi P.O., Ranny, Kerala – 689 674.

Sd/-V.S.SENTHIL.I.A.S, Member Secretary (SEIAA)

\$

To.

Sri. K.V. Mathew,
M/s Kachanathu Minerals and Metals Pvt. Ltd.,
Kachanathu Ebenezar Trade Center,
V/114, Angadi P.O., Ranny,
Pathanamthitta – 689 674

Copy to,

 MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.

2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.

3. Director, Mining & Geology, Thirdyananthapuram -4.

4. District Collector, Pathanamthitia

- 5. Secretary, Ezhumattoor Grama Panchayat, Mallappally Taluk., Pathanamthitta-689 586
- 6. Chainman, SEIAA.
- % Website.
- 8. S/f
- 9. 0/c

THE STATE OF THE S

Forwarded/By Order

Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / graced . 2.
- Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- Suitable avenue trees should be planted along either side of the tarred road and open parking 3. areas, of any, including of approach road and internal roads. 4
- Maximum possible solar energy generation and utilization shall be ensured as an essential part of
- Sprinklers shall be installed and used in the project site to contain dust emissions. 5. 6.
- Eco-restoration including the mine closure plan shall be done at the own cost of the project
- At least 10 percent out of the total excavated pit area should be retained as water storage areas 7. and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous. 10.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department. 11.
- Control measures on noise and vibration prescribed by KSPCB should be implemented.
- Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions. 12. 13.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency. 14.
- A licensed person should supervise/ control the blasting operations.
- Access roads to the quarry shall be tarred to contain dust emissions that may arise during 15. transportation of materials. 16.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions. 17.
- Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition. 18.
- Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- Maximum depth of mining from general ground level at site shall not exceed 10m 19. 20.
- No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the 21. provisions of green belt and hollow brick envelop for crushers so that the noise level is kept 22.
- within prescribed standards given by CDETHASPEB.
 The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- Garland drains with clarifiers to be provided in the lower slopes around the core area to 23. channelize storm water. 24.
- The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least times of the loss that has been occurred while clearing the land for the project. 26.
- Disposal of spent oil from diesel engines should be as specified under relevant Rules/ 27.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. 28.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided. 29.
- 100 m buffer distance should be maintained from forest boundaries.

Acraia State Pollution Control Board under Water and Air Act(s) should obtained before initiating mining activity. 31.

All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.

In the case of any change(s) in the scope of the project, extent quantity, process of mining 32 technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority. 33

The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act. 1986, to ensure effective implementation of the

suggested safeguard measures in a time bound and satisfactory manner.

The supulations by Statutory Authorities under different Acts and Notifications should be 34 complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006. 35.

The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.sciaakeraia.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as configuration.

36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

37 The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office. 38.

The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public

The proponent should provide notarized affiguit (indicating the number and date of Environmental 39 Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

No change in mining technology and scope of working should be made without prior approval of 40. the SEIAA, No further expansion or middifications in the mine shall be carried out without prior approval of the SEIAA, as applicable 41.

The Project proponent shall encure that no patural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order

streams, if any, originating from the mine tease shall be taken.

42 Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at

places loading and unloading points & transfer point to reduce fugitive emissions.

43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 450. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

Catch drains and siltation pends of appropriate size shall be constructed around the mine working, mineral and CDD at pends of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul Road, loading and unloading points and transfer points - it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, leading and unloading and at transfer points should be provided and properly maintained.

47 Measures should be taken for control of noise levels below 85 dBA in the work environment.

48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.

The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the 50. stipulated conditions. The project authorities should extend full cooperation to the officer (S) of

the Regional Office by furnishing the requisite data/information/monitoring reports.

Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if 51. preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing the factual data or submission of false/fabricated data and failure to comply with any 52. of the conditions mentioned above may result in withdrawal of this clearance and attract action

under the provisions of Environment (Protection) Act, 1986.

The SEIAA may revoke or suspend the order, for non implementation of any of the specific or 53. this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or 54. simplified, contained in any other permit, license on consent given by any other authority for the

This order is valid for a period of 5 years or the expiry date of mine lease period issued by the 55. Government of Kerala, whichever is earlier.

The Environmental Clearance will be subject to the final order of the courts in any pending 56. litigation related to the land or project, in any court of law. 57

The mining operation shall be restricted to above ground water table and it should not intersect

603

61


All vehicles used for transportation and within the mines shall have 'PUC' certificate from 58. authorized pollution taking centre, washing of all vehicles shall be inside the lease area' 59

Project proponent should obtain recessary prior permission of the competent authorities for drawal of requisite quantity of strengt water and ground water for the project.

Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEINA

Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dost and take corrective measures, if needed.

> Regenden For Member Secretary, SEIAA Kerala





கேடிதo केरल KERALA

C 498457

FORM H (See rule 43) QUARRYING LEASE

This deed of lease made on this the 1st day of June 2018 between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of the one part and Shri/Smt.M/o. Kachanathu Minerals & Metals Pvt. Limited, Kachanathu Ebenezer Trade Centre, Angadi Post, Ranni, Pathanamthitta District – 689 674 having branch office at Ezhumattoor P.O., Mallappally, Pathanamthitta District – 689 586 (Represented by its Managing Director Shri K.V.Abraham, aged 62 years, S/o.Late Cherian Varkey, residing at Kachanathu House, Nellickamon P.O., Angadi Village, Ranni Taluk of Pathanamihitta District (hereinafter called the "lessee/lessees"which expression shall where the context so admits, include his/their heirs, executors, administrators, representatives and permitted assigns) of the other part.

Lessor

M.M. VAHAB

M.M. Cologist

Geologist

Lessee K. V. Ahlm

Attempting Threator

Page Lof. 7:11

Attempting Threator

Attempting Threa

100. 719/2018/ Deplease 10.1

Presented in the price of the Sub-Registrar of Constitution of the Sub-Registrar of the Sub-Registrar of the Sub-Registrar of the Sub-Registrate of the Sub-Registrar of the Sub-Registrary of the

x K. V. ABRAHAM. Abreha R.V. Yeserding at Rangarada House

8th day i scene do y

BUMART. V. MINT

For and on behalf of Karbanassen Minesals 2. Metals (Evt) Himthed sepresented by its managing Disceller K. V. ABRAHAM Morehum N.V.

Son of chexian Varkey restoling at Languards House, Nahabatas.

There satisfied my sij Bat Be execution of This instrument by M.m. Varab, Geologist. Dest. of Mining of Geology, District office. passarantiste for wood tomorball) on behasi of 1Be Governor of Revala Who is exempted from I enfond appearant cooler steps of the Indian Registration Act.

T BOOK NO. 8. Shapes 1 Shapes Of

20

Witnesseth that in consideration of the rents and royalties and lessee's/Lessees' ovenants, hereinafter reserved and contained the State Government hereby give on lease to the lessee/lessees the land measuring 4.4298 hectares described in the schedule hereunder and delineated on the plan hereto annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 9(Nine) years commencing from 01.06.2018 and ending on 31.05.2027 for the purposes of extracting minor mineral/minerals and subject to the terms and conditions contained in the Kerala Minor Mineral Concession Rules, 2015 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

- The lessee/lessees shall have the right in and upon the said lands to extract Granite Building Stone (hereinatter called the said mineral/minerals) and to do all acts necessary for the extraction of the said mineral/minerals including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose of the said minerals extracted as aforesaid
- 2. The lessee/lessees shall during the subsistence of this lease have the liberty to work the said mineral/minerals and remove the same from the leasehold on permits issued by the State Government/competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
 - 3. The lessee/lessees shall pay to the State Government a yearly surface rent equal to the land revenue if any, assessable under the rules for the time being in force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any, per hectare of the land the surface whereof shall be occupied or used by the lessee/lessees for any of the purposes of this deed and so in proportion for any area less than one hectare. The said surface rent shall be paid by yearly payments; the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.
 - 4. The lessee/lessees shall at all times during the currency of this lease keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also maintain a register of employees showing therein separately men, women employed daily and shall at reasonable times allow the competent authority appointed under the rules(hereinafter referred to as "competent authority") or the officer authorised by him to examine the said books of account and the register of employees and to take copies and extracts therefrom. The lessee/lessees shall submit reports in Forms F and G on the specified dates. Lessee K.V. No.

Lessor

M.M. VAHAB

dense

Geologist Dept. of Mining and Geology District Office, Pathanamthitta

Managing Director KACHANATHU Minerals & Metals Pvt. Ltd.

onemn

Page 2 of 7

Belakoshonan. Residing of Valigethe kie Bisinaling the Bound of Sungasha P.6

K. V. Mastao Ads So Chemilaler Angali Rom. 3.

ATS day of Frene days KUMATELY MINE

Sheets 8 to 428

Sheets 8 days of Frene days KUMATELY MINE

SUB REGISTER

OF THE

- 5. All sums found due under or by virtue of this deed from the lessee/lessees may be recovered from him jointly and severally from them and his / their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
- 6. The lessee/lessees shall at the lessee's/lessees' own expense erect and at all times maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
- The lessee shall not carry on or allow to be carried on any quarrying operations at or to any points within a distance of 100 metres from any railway line except with the previous written permission of the railway administration concerned and rivers, bridges on National Highway or 50 metres from any reservoir, tanks, canals, boundary walls of places of worship, burial grounds, burning ghats or one kilometer from the boundaries of National Park or Wildlife Sanctuaries except with the previous permission of the authorities concerned or the Government or competent authority.
- The sides of open workings shall be sloped, stepped or secured by the lessee in such a manner as to prevent slope failure, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
- 9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee/lessees immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
- 10. The lessee/lessees snail at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee/lessees shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.

Lessor

M.M. VAHAB

Geologist

Dept. of Mining and Geology District Office, Palianamthitta Page 3 of 7

Managing Dr. ector

Minerals & Metals Pytilled

- The lessee shall be responsible for implementing the provisions of the various 11. labour laws applicable, from time to time, to the quarry.
- The lessee/lessees shall not assign or underlet the said lands or any part thereof 12. or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government / competent authority:

R

- Where the lease or any right, title or interest therein has been assigned, sublet or 13. transferred as provided in rule 45 read with condition 12, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable,
- The lease may be surrendered by the lessee/lessees at any time after 3 months 14. notice in writing to the State Government/competent authority: Provided that the lessee/lessees has/have paid all sums due on account of the lease. Provided that if the lessee/lessees elects/elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the term of the lease deed
- 15. If the lessee/lessees shall be desirous of taking a further lease of the said lands he/they shall give three months' previous notice in writing of such desire to the State Government/Competent authority and if the lessee/lessees has/have duly observed all the conditions of this lease, the State Government/competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government/Competent authority may determine which shall be in accordance with the provisions of these rules.
- If the lessee/lessees shall at any time during the said term use the said lands or 16. any part thereof in any manner other than as authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government/Competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government/Competent authority to cancel this lease and take possession of the said lands or the alternative to receive from the lessee/lessees such penalty not exceeding Rs. 25000/- (Rupees Twenty five thousand only) for the breach as the State Government/Competent authority may fix.

LESSUI

dans

M.M. VAHAB

Geologist Dept. of Mining and Geology

District Office, Pathanamthitta

Managing Director KACHANATHU

Minerals & Metals Pvt. Ltd.

- If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is/lessees are entitled to remove from the said lands, the same shall, if not removed by the lessee/lessees within one calendar month after notice in writing requiring their removal be given to the lessee/lessees by the State Government/Competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee/lessees in respect thereof.
- 18. This lease subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting safety, health and convenience of the lessee's/lessees' employees or of the public, whether under the Indian Mines Act or otherwise.
- 19. The lessee/lessees shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
- The lessee/lessees shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 21. The lessee/lessees shall make and pay such reasonable compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.

Laggar

, B

M.M. VAHAB
Geologist
Dept. of Mining and Geology
District Office, Pathanamthitta

Page 5 of 7

Managing Director KACHANATHU Minerals & Metals Pvt. Ltd.

- Any condition prescribed in the Kerala Minor Mineral Concession Rules, 2015 22. but left out in this lease which may be found applicable to the lessee/lessees shall be treated as binding on the lessee/lessees.
- In this case anticipated royalty for the mineral at rate of Rs.24/- (Rupees Twenty 23. four only) per tone for a period of one year is Rs.16,09,680/- (Rupees Sixteen lakh nine thousand six hundred and eighty only)
- Dead rent realized at the rate of 1st year NIL, 2nd year Rs.300/- (Rupees three 24. hundred only) and 3rd year onwards Rs.1200/- (Rupees one thousand two hundred only) per hectare subject to revision from time to time. Surface rent at the rate of Rs.200/- (Rupees two hundred only) per hectare for one year is Rs.200/- (Rupees Two hundred only) and security deposit is Rs.44,298/- (Forty four thousand two hundred and ninety eight only)

Schedule of description of land

District

: Pathanamthitta

Taluk

: Mallappally

Village or Amsom

: Ezhumattoor

Survey Nos. of the Area

: 135/2, 135/2-2, 135/2-1, 135/2-3, 135/6,

135/7, 135/7-1, 167/1, 167/1-1, 167/5

Area in hectares

: 4.4298 Hectares

Bounded by Sy.Nos.

On the North by On the East by

: Sy. No.140/1, 143, 165, 166

: Sy.No. 166, 167/2, 167/6, 167/9

On the South by

: Sy.No. 167/4, 12, 14, 135/3, 135/3-1, 135/5.

135/7-1pt

On the West by

: Sy.No. 135/1, 135/3, 134

MARSORFIAB

Geologist Dept. of Mining and Goology District Office, Pathanamthitta Lessee

Managing Director KACHANATHU Minerals & Metals Pvs.

In witness whereof the parties hereto have set their hands hereunto on the day and year first above written.

Signed by your &
Lessor, M.M. VAHAB
for and on behalf of had dowernor of Kerala
In the presence of Mining and Geology Dept. Office, Pathanamthitta District Office, Pathanamthitta
Senier Grade Typist, Mining & heology Dord office, Pathonamonths the
Depl of Mining & Guology
District office, Patranamphila.
Signed by Alone Lower Signed by Sign
In the presence of: (1) Anishicomour vi B Voulyothanishidiyo (H) Eduyarichioper ta. 100 Kangaghan 686541 - anger
(2) K.V. milhi= Kashendhi Nelliekenon. poemlo
Com mary.


MedboyAHAB Geologist Dept. of Mining and Geology District Office, Pathanamthitta



Tessee K.V. Abzaly

Managing Director KACHANATHU Minerais & Mictals Pvt. Ltd.

Page 7 of 7





भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोट्क सुरक्षा संगठन् (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Ferroleum & Explosives Salety Organisation पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कक्कानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

ई-मेल Email: dycceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/803(E37080)

दिनांक (Date): 04/02/2021

सेवा में | To,

K.VARKEY ABRAHAM .Kanchanathu minerals and Metals Private Limited, Kánchanathu House Nellikamon post,Angadi,Ranni., Town/Village - ANGADI District-PATHANAMTHITTA, State-Kerala, Pincode - 689395

विषय:

Survey No(s).130/4, Block No.27, ग्राम Ezhamattoor, Mallapally taluk, जिला PATHANAMTHITTA, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/803(E37080) के नवीनीकरण संदर्भे में।

Possession for Use of of Explosives from magazine situated at Survey No(s).:130/4, Block No.27,

Subject:

Ezhamattoor, Mallapally taluk, Dist. PATHANAMTHITTA, Kerala -Licence No.: E/SC/KL/22/803(E37080)

granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir.

आपूका उपूर्युक्तू विषय पर पत्र संख्या Nil दिनांक 28/01/2021 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2026 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 28/01/2021, the subject licence duly renewed upto 31/3/2026 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

Conditions:

1)EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY . PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/ 2026 से पहले **इस कार्यालय** को भेजे जाएं. For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2026.

 प्ररूप आरई-। में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन। Application in Form RE-1 duly filled in and signed.

 एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लॉइसेंस शुल्क ऑनलाइन जमा किया जाना है। Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online

application portal under the Explosives Rules, 2008.

 अनुमोदित प्लान के साथ मूल अनुज्ञप्ति। Original licence with approved plan.

• कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें। In this connection, please also refer to Rule 112 of Explosives Rules, 2008.

• विस्फोटकों के क्रय हेतु आर्ड-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाएं (आतिशबाजी गोदाम के लिए लागू नहीं ¶ 🗀 Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office (Not applicable for fireworks store house)

कृपया विस्फोटकों की त्रैमासीक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं । विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं ¶ □Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter.(Not applicable for fireworks store house)

• सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी

अनुज्ञाप्ते प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/803(E37080) वार्षिक फीस रुपए (Annual Fee Rs): 1800/-

1. Licence is hereby granted to

K.VARKEY ABRAHAM .Kanchanathu minerals and Metals Private Limited (अधिभोगी / Occupier : Shri K.Varkey Abraham), Kanchanathu House Nellikamon post,Angadi,Ranni., Town/Village - ANGADI, District-PATHANAMTHITTA, State-Kerala, Pincode - 689395

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Company

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। Licence is valid only for the following purpose. Ordinary Detonators, - के उपयोग के लिए गण्डिक

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है। Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

-				
क्र	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description			Quantity at any one time
1.	Nitrate Mixture	2 ,0	0	150 Kg.
2.	Electric and/or Ordinary Detonators	6,3	0	6000 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]:

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following

(E37080)

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/803 : (E37080) दिनांक (Dated) 22/10/2001

Space

photo

the lic

occup signat

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address: Survey No(s). 130/4, Block No.27 , ग्राम (Town/Village) : Ezhanyetton (Panelly Stalillon) : PERUMPATTI

जिला (District) PATHANAMTHITTA বুरभाष (Phone) 9961225167

drawing(s): .

राज्य (State) इ. मेल (E-Mail) Kerala पिनकोड (Pincode) फैक्स (Fax)

689674

20 times

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं। The licensed premises consist of following facilities.

PORTABLE MAGAZINES of G & T type & D TYPE 823

- 8. अनुज्ञप्ति समय समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है। The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
 - 1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए¶☐ Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी व्दाररा हस्ता.क्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्ति शर्तें। Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2003 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2003.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा

उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 22/10/2001

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives South Circle, Chennai

Amendments:

Amendment in Drawings/Facilities/Premises dated: 20/05/2014

Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 08/01/2015
 Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 19/09/2017

Transfers:

• Change in Licensee Name/Address/Status dated: 12/10/2012

नवीनीकरण के पृष्ठांकन के लिए स्थान Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
04/02/2021	31/03/2026	Dy. Chief Controller of Explosives, Ernakulam
		उप मुख्य विस्फोटक नियंत्रक
		Deputy Chief Controller of Explosives
		एरनाकलम Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।

Statutory Warning: Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

(सेट VIII | Set VIII)

मैगुजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 (अनुच्छेद 3 (ख) से 🗥। में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक ब्दारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/803(E37080) की शर्तें निम्नलिखित हैं ।

The following are the conditions of licence number E/SC/KL/22/803(E37080) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी ।

The quantity of explosives on the premises at any one time shall not exceed the licensable capacity

विस्फोट्कों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए

The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to

आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं । The magazine shall be used only for keeping all a shall be used only for keeping all a

The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा ।

The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर. प्रस्प्र पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के

विस्फोटक तक न पहुंच सके : परंतु – (घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं। (ड) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।

(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा ।

Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that-

(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division land detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately

वर्ग ३ (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मैंजूरी के मैंगजीन में नहीं रखा जाएगा। Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date

of their manufacture except with the special sanction of licensing authority

वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख्से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो ।

(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुरत करेगा ।

(ii) जब कोई विस्फोटक मानक शुध्दता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand

(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

मैगजीन के भीतरी भाग या उसमें लगी बैचो. शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरूध्द सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्येंकर नहीं होगा जिसमें वर्ग 6 (गोला बारू द) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।

उप युख्य विस्कोटक नियंत्रक

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is

यदि तडि़त चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी व्दारा पश्चात्वर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तिडत चालक को समाधानप्रद घोषित नहीं कर देता

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य

परंतु यह और कि यदि दो या अधिक तडि़त चालक एक ही मैगजीन से संबध्द हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day:

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor

उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों , उपयुक्त जूतों के प्रयोग व्दारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों व्दारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्टी परिसर में अग्नि. दियासलाई अथवा ऐसी कोई वस्तोएं या पदार्थ. जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building

in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept. अनुज्ञप्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोंटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके व्दारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered

परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें ।

No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

मैंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी ¶ □यदि किसी कारणवंश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञप्तिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason

मैंगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएंगी ।

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।

The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

तिडत चालकों की भूमि के लिए प्रतिरोघ यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा । The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांड़ी या ज्वलनशील सामग्री नहीं रहने द्वी जाएगी ।

उप मुख्य विस्फोटक नियंत्रक

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

8. विस्फोटकों के प्रत्येक पैकेट की, जब उसे भैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी । Every package of explosive of the control of the control

Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।

Not more than 4 persons shall be allowed inside the magazine or store house at any one time.). विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।

Empty packages of the explosives shall be removed at the earliest and destroyed

21. अनुज्ञप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए । The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.

22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकतः अनुपालन किया जा रहा है. अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the

safety conditions are duly observed

23 यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञातिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक हैं, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अविध के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

24 अनुज्ञिप्तिधारी मैगुजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत

विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा ।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए -

(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के.प्रतिबंधित होंगे ;

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5

log10 (N) dB, where N = number of crackers joined together.

26 आग या विस्फोट व्यारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्ते / Additional Conditions :

1. अनुज्ञप्तीधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक For Joint Chief Controller of Explosives दक्षिणांचल, चेत्रै | South Circle, Chennai

Deputy Chief Controller of Explosive एरनाकुलम Ernskulam

Form DE-2 (See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/803(E37080) in form LE-3 granted to K.VARKEY ABRAHAM .Kanchanathu minerals and Metals Private Limited, Kanchanathu House Nellikamon post, Angadi, Ranni., Kerala-689674 .

	Type of Structure(s)	afety distan	ces met
	Inside Safety Distances(ISD)	М	UM
1	Room or Workshop used in Connection with the Magazine	13	19
2	Any other Explosives Magazine or store House or Factory of the Applicant Magazine Office		
	Middle Safety Distances(MSD)		
4	Magazine Keeper's or Chowkidar's Dwelling house		
	Railway including Minerals and Private Railways		
	Canal (in active use) or other navigable water		
	Dock or Pier or Jetty		40
	Public Highway or Public Road		40
	Private Road which is PRINCIPAL means of access to a Temple, Mosque, C Gurudwara or other places of worships, Hospital, College, School or Factory River Embankment or Sea Embankment or Public Well	hurch,	
	Reservoir or Bounded tank/rope way		
	Windmillor or Solar panel for Power Generation		
	Outside Safety Distances(OSD)		
	Dwelling House		
	Govt. and Public Building		
	Temple, Mosque, Church or Gurudwara or other Places of Worships	.1 1	
	Shops, Market place, Public recreation and Sports Ground, College, S Hospital, Theater, Cinema or other Building where the public are accuston assemble		
17	Factory		
	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or inflammable or hazardous substances		45
	Building or Works used for Storage and Manufacture of Explosives or of a which contain Explosives	rticles	
	Aerodrome		
	Furnace, Kiln or Chimney		
	Quarry or mine pit head		
	Power House or Electric Substation		
	Wireless Station		
	Warehouse or other Storage Building Any other Protected works		
20	Any outer Protected works		
	Overhead Electric lines		
	Electric Power over head Transmission Lines above 440V		45
	Electric Power over head Transmission Lines upto 440V		15

The Date: 22/10/2001

For Joint Chief Controller of Explosives

Deputy Chief Controller of Explosives एरनाकृतम Ernskulam

Amendments:


Amendment in Drawings/Facilities/Premises dated: 20/05/2014

• Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 08/01/2015

Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 19/09/2017

Transfers:

• Change in Licensee Name/Address/Status dated: 12/10/2012







खान अधिनियम 1952 THE MINES ACT 1952

द्वितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र धातुउत्पादक खान के प्रबंध हेतु
MANAGER'S SECOND CLASS CERTIFICATE OF COMPETENCY TO MANAGE A METALLIFEROUS MINE

(धातुचत्पादक खान विनियम, 1961 के अन्तगंत) (Under the Metalliferous Mines Regulations 1961)

(केवल विवृत सनित युक्त खानो तक ही सीमित) (Restricted to mines having opencast workings only)

पुल . मनाहरूण

जिनको जन्म तिथि 09.06. 1980है, विनियम 18 के अन्तर्गत अनुमोदित खनन ग्रमियांत्रिकी में डिप्लोमा प्राप्त करने पर एवं दिनांक स्थातम्बर, 200को आयोजित विहित परीक्षा में उत्तीण होने पर एतद्द्वारा केवल विवृत सनित युक्त धातु उत्पादक खान के प्रवंध हेतु द्वितीय श्रेणी प्रबंधक समक्षता प्रमाण-पन से प्रभावी समझा जाएगा। 07. 03. 2007 प्रदान किया जाता है। यह प्रमाण-पत्र

L. Wandraran


possessing a Diploma born on 09 th frume, 1980 in Mining Engineering approved under Regulation 18 and having passed the prescribed examination held on September, 2006 is hereby granted MANAGER'S SECOND CLASS CERTIFICATE OF COMPETENCY to manage a metalliferous mine having opencast workings only. This Certificate is effective from 07.03.2007




सदस्य खनन परीक्षा बोड Members of the Board of Mining Examinations.

Signed and Sealed

Date: 02.04.2008



Chairman of the Board of Mining Examinations





മൈസൻസ് നമ്പർ : സി8-1948/2022 /2022

തിയതി: 31.03.2022

എഴുമറ്റൂർ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും

1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകപ്പുകളും അരെ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച്

ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകന്ന

ലൈസൻസ്


ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	ശ്രീ. കെ വർക്കി എബ്രഹാം കാച്ചാണത്ത് വീട്,ഈട്ടിച്ചവട് പി ഒ,റാന്നി		
സ്ഥാപനത്തിന്റെ പേരും സ്ഥാലനാമവും	കാച്ചാണത്ത് മിനറൽസ് & മെറ്റൽസ് പ്രൈവറ്റ് - ലിമിറ്റഡ്,എഴുമറ്റർ		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	പാറ ഖനനം നടത്തുന്നതിന്		
വാർഡ് നം. & കെട്ടിട നം.	135/2,135/2-2,135/2-1,135/2	-3,135/6,135/7,135/7-1,167/1,167/1-1,167/5	
ലൈസൻസ് കാലയളവ്	01/04/2022 മുതൽ 15.01.2023 വരെ.		
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	₹ 10000/- @പ (Licence Fees) Motor Fee-5050/-	രസീത് നമ്പർ : 121020103539 തീയതി : 31/03/2022	
	തൊഴിൽക്കരം	₹ 2500/-(2022-23).	
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളുടെ വിശദാംശങ്ങൾ നമ്പർ,തിയതി,കാലയളവ്,നൽകി അധികാരസ്ഥാനം	Environmental Clearance-09/20 change order dated-18/01/2021 Polution control board conse VALIDITY-15/01/2023	ർറ് എക്സ്റ്റൻഷൻ ഓർഡർ-203/2021/ID DATE IT, Ministry of enviorment Forest and climate ent to operate renewal-QCO/PTA/227/RI/2023 8-19/3874/M3/2018/DMG.DATED-30/05/2018	

(ഓഫീസ് മൃദ്ര)



സെക്രട്ടറി എഴുമറ്റർ ഗ്രാമ പഞ്ചായത്ത്

സെക്രട്ടറി എഴുമറ്റൂർ ഗ്രാളപഞ്ചായത്ത് തെള്ളിയൂർ പി.ഒ. 689544 ഫോൺ: 0469 - 2650528





KERALA STATE POLLUTION CONTROL BOARD

FILE NO.: PCB/PTA/ICO/QR/164/2013

Date of issue :27/01/2023

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : QCO/PTA/227/R2/2023

Ref: 1.CONSENT No.:PCB/RO/PTA/ICOR/3/2017,DATE OF ISSUE:23/03/2017,VALID UP TO:06/06/2018 2.CONSENT No.:QCO/PTA/227/2018,DATE OF ISSUE:16/05/2018,VALID UP TO:15/01/2022 3.CONSENT No.:QCO/PTA/227/R1/2022,DATE OF ISSUE:10/03/2022,VALID UP TO:15.01,2023 4. APPLICATION No.:18346536, DATED:16-01-2023

The Integrated Consent to Operate' issued as per reference above to M/s KACHANATHU MINERALS & METALS (Pvt.) Ltd. (QUARRY), EZHUMATTOR P.O., MALLAPPALLY, PATHANAMTHITTA is hereby renewed up to 31/05/2027 and issued to M/s KACHANATHU MINERALS & METALS (Pvt.) Ltd. (QUARRY), EZHUMATTOR P.O., MALLAPPALLY, PATHANAMTHITTA The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description		
1	Validity	31.05,2027		
2	Survey Number	135/2,135/2-2,135/2-1,135/2-3, 135/6,135/7,135/7-1,167/1,167/1-1,167/5 (Extent- 4,4298 Ha)		
3	Total Power required(HP)	Excavator with breaker - (2nos.)- 110 HP each, Excavator with bucket-(2 Nos.)-110 HP, Compressor with three Jack Hammer-65 HP-1		
4	Capital investment(Rs. in lakhs)	498.08		
5	Category	Red		
	Annual fee/Fee remitted	Rs. 44900 /-,Rs. 246950/-		

H. Stack Details

Stack No. Source of Emission Stack Height above Control Equipment Rate(Nm3/Hr) Ground Level(In Meters) Ground Level(In Meters)

III. CONDITIONS

- 3.1. This consent is granted based on the application, affidavit, particulars submitted by the applicant, and Board's circular No. PCB/HO/CIRCULAR/51/2019 dated 04.05.2022, and subject to the power of the Board to review and make variation in or revoke the conditions as the Board deems fit.
- 3.2. The Validity of this consent is subject to subsequent Government Order & direction / judgement of Honourable Supreme Court of India, High Court, and National Green Tribunal.
- 3.3. The consent unless withdrawn earlier and subject to condition no. 3.1 and 3.2 shall be valid up to 31.05.2027. For renewal of consent, application may be submitted online two months in advance of expiry of validity date, along with the re-validated Environmental Clearance Certificate.
- 3.4. The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water and land pollution.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :27/01/2023

Pravithamol T N


Digitally signed by Previthermal TN Date 2021.01.27.11.20.10 +05'30

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER(L/C)




To Sri. K.V.Abraham Kachanathu House Nellikkamon P.O. Ranny, Pathanamthitta

1. This digitally signed document is legally valid as per the Information Technology Act 2000



Minutes of the dinectorboard of Kachanathur Kine-lals & Metals Pit; Hold On: 13,05. 2023 Attendees:
1. Kachanathy Vaskey Abreh Moralm n.V.
2. Valsemme Abreham: Jalood 3. Prejo K. Abreham: 3) winom 2 morow solvasom and wine dan one Wanders Gozurbar 8/2/05 13.05. 2023 1200 4.30 Pm Bas). (JIMMBZNOW BALLIO BOOD DOB) my. Son Prejo K Abraham Garunno monno amonto amonto. Por Blom o NB2 (mon mon mo Cuto Msm 845)2 210m2000 min rumbangm & religible mone mys 300) Bath and some mount of myles comons They alone and mount of which and and some wife - asprosmis). 1. 2018 and gumment and zo, filter on also onemo aminos ry myrosofo my osigon nofom of mone 329 orsom on in on zwimme in 6 izero mosso. 2. EQUAMY CONTRAL SALANDO PONDI BURDI SUPPLIED SALANDO PONDI BURDI SUPPLIED SALANDO PONDI BURDI SUPPLIED ME MI GOZ UNO MODES. 3. Causanjine Esson solo Beneh Making 2 nis 2015 mm) Grand my month openant 200 mosts Deso 800) ny 300 mosts mosts 4. Opgamonisson Brosomy en relmont most

mules of the discolargeast of Cachagua 12) (2) Dimono on only omning to 6kg no more) 5, an est Bisasters Hangement of a Resolution of Jona Less my modes modes modes of eros my eros my eros my eros my 6. Ennys Bon mos rus nom Gwom) 246
Mod sol. mod sol. mod sol. mod sol. (52) yrong) no smot. Dirobmin Blanino mis (38) to us by. Sanda and and Complant Girling Esiso Roger SIKEron ; 50 Com grap 6,15 Pm no 2 19 pm mm 2. Recording Scentary: Pyo Abut Minutes Passed by Managing Directory Kachanathu Varkey Abraham Albaram 12.V.





TEST REPORT

ULR No:TC1219123000002389F				
LRI No.:SEAAL23100555A	Date: 11-10-2023	Page 1 of 1		

CUSTOMER DETAILS				
Customer Name & Address	M/s Kachanathu Minerals & Metals Private Limited Kachanathu Ebenezar Trade Centre V/114,Angadi P.O Ranni,Pathanamthitta District.			
Customer Reference	Test Request date: 29-09-2023			

SAMPLE DETAILS					
Product Category	Atmospheric Pollution	Sample Code	EN23091162		
Sample Name	Ambient Air	Sample Received on	30-09-2023		
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-10-2023		
Sampled by	Lab Authorized Sampler	Test Completed on	10-10-2023		

DETAILS OF SAMPLING					
Sampling Location	Project Site	Date of Sampling	29-09-2023		
Sampling Procedure	SEAAL/ENL/GEN/SOP/02	Humidity	65 %		

SAMPLING SITE DETAILS					
Survey No. 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13,					
Village	Ezhumattoor	Taluk	Mallappally		
District	Pathanamthitta	State	Kerala		

TEST RESULTS-CHEMICAL DISCIPLINE							
SL NO	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ STANDARD		
1	Particulate matter, PM ₁₀	IS 5182 (Part 23): 2006	μg/m³	49.5	100 (Max)		
2	Particulate matter, PM _{2.5}	IS 5182 (Part 24): 2019	μg/m³	23.8	60.0 (Max)		
3	Sulphur dioxide as SO ₂	IS 5182 (Part 2): 2001	μg/m³	<4.00	80.0 (Max)		
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	μg/m³	<4.00	80.0 (Max)		

Remarks:

End of Report

Negnt

Nesny A.K. Chemist Checked by



Commy 10

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories



TEST REPORT

ULR No: TC1219123000002390F			
LRI No.: SEAAL23100556A Date: 11-10-2023 Page 1 of 2			

CUSTOMER DETAILS		
Customer Name & Address	M/s Kachanathu Minerals & Metals Private Limited Kachanathu Ebenezar Trade Centre V/114,Angadi P.O Ranni,Pathanamthitta District.	
Customer Reference	Test Request date: 29-09-2023	

DETAILS OF MONITORING				
Product Category	Atmospheric Pollution	Sample Code	EN23091163	
Sample Name	Ambient Noise	Monitoring Commenced on	29-09-2023	
Test Method	IS 9989:1981	Monitoring Completed on	30-09-2023	
Monitoring Location	Project Site	Monitored by	Lab Authorized Sampler	

SAMPLING SITE DETAILS				
Survey No. 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13,				
Village	Ezhumattoor	Taluk	Mallappally	
District	Pathanamthitta	State	Kerala	

	MONITORING RESULTS - Leq					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	
06:00	37.9	14:00	50.8	22:00	36.8	
07:00	40.7	15:00	51.2	23:00	35.8	
08:00	45.0	16:00	52.4	24:00	38.4	
09:00	48.5	17:00	52.8	01:00	39.1	
10:00	50.8	18:00	47.3	02:00	38.7	
11:00	54.0	19:00	43.8	03:00	39.5	
12:00	51.2	20:00	39.9	04:00	38.4	
13:00	50.4	21:00	39.4	05:00	40.2	



Nesny A.K. Chemist Checked by



Osumuly my

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.



TEST REPORT

ULR No: TC1219123000002390F			
LRI No.: SEAAL23100556A	Date: 11-10-2023	Page 2 of 2	

S1. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time	dB(A)	49.3
2	Ambient Sound Level (Leq) Night Time	dB(A)	38.8

Remarks:

End of Report

Standards



Nesny A.K. Chemist Checked by



Oskum Juj

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12191 & "A" Grade Laboratory approved by KSPCB.



TEST REPORT

ULR No:TC1219123000002391F			
LRI No.:SEAAL23100557A Date: 11-10-2023 Page 1 of 2			

CUSTOMER DETAILS			
Customer Name & Address	M/s Kachanathu Minerals & Metals Private Limited Kachanathu Ebenezar Trade Centre V/114,Angadi P.O Ranni,Pathanamthitta District.		
Customer Reference	Test Request Date: 29-09-2023		

SAMPLE DETAILS				
Product Category	Water	Sample Code	WT23090777	
Sample Name	Ground Water	Sample Received on	30-09-2023	
Sample Description by Customer	Open Well Water	Temperature @ Receipt	28°C	
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	01-10-2023	
Sample Quantity& Packing	1 L & 125 ml in a Plastic Bottle	Test Completed on	10-10-2023	
Information Provided by Customer		Sampled by	Lab Authorized Sampler	

DETAILS OF SAMPLING					
Sample Source	Open Well	Date of Sampling	29-09-2023		
Sampling Procedure SEAAL/QAD/SOP/7.3/01 Sample Temperature 28 °C					

SAMPLING SITE DETAILS				
Survey No. 135/2-3, 135/7, 135/7-1, 135/6, 135/2-2, 135/2, 135/2-1, 167/1, 167/1-1, 167/5, 167/2-2, 167/2-13,				
Village	Ezhumattoor			
District	Pathanamthitta	State	Kerala	

TEST RESULTS- CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 1983	Hazen	1	5 (Max)

Nesny A.K. Chemist Checked by Standard Laboratory

Remya B. TM-Biological

TM-Biological Authorized Signatory Laiju P.N. Laboratory Head

Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12191 & "A" Grade Laboratory approved by KSPCB.



TEST REPORT

ULR No:TC1219123000002391F					
LRI No.:SEAAL23100557A	Date: 11-10-2023	Page 2 of 2			

TEST RESULTS- CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
2	Odour	IS 3025 (Part 5): 2018		Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10): 1984	NTU	0.3	1.0 (Max)
4	рН	IS 3025 (Part 11): 1983		7.06	6.50-8.50
5	Conductivity	IS 3025 (Part 14):1984	μS/cm	207	
6	Total Dissolved Solids	IS 3025 (Part 16): 1984	mg/L	133	500 (Max)
7	Total Hardness as CaCO ₃	IS 3025 (Part 21): 2009	mg/L	80.0	200 (Max)
8	Calcium as Ca	IS 3025 (Part 40): 1991	mg/L	21.6	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 1994	mg/L	6.33	30 (Max)
10	Chloride as Cl	IS 3025 (Part 32): 1988	mg/L	30.2	250 (Max)
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23): 1986	mg/L	17.8	200 (Max)
12	Iron as Fe	IS 3025 (Part 53): 2003	mg/L	0.22	1 (Max)
13	Sulphate as SO ₄	IS 3025 (Part 24): 1986	mg/L	2.10	200 (Max)

TEST RESULTS - BIOLOGICAL DISCIPLINE					
Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Total Coliform Bacteria	IS 15185 : 2016		Absent/100 ml	Absent/100 ml
2	E coli	IS 15185 : 2016		Absent/100 ml	Absent/100 ml

Remarks:

End of Report

Nesny A.K.
Chemist
Checked by

SERVICE OF STREET

Remya B.
TM-Biological
Authorized Signatory

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12191 & "A" Grade Laboratory approved by KSPCB.